

Notice of Allowability

Application No.

10/756,750

Examiner

Gregory Pickett

Applicant(s)

MEEHAN ET AL.

Art Unit

3728

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Amendment of 3 February 2006.
2. ☒ The allowed claim(s) is/are 1-12,14,16-36,38 and 39.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Greg Pickett
Examiner
28 April 2006

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Douglas Jackson on 26 April 2006.

The application has been amended as follows:

In claim 1, line 2: replace "sized to receive weight devices" with --with a plurality of dumbbells located--.

In claim 1, line 9: replace "weight devices" with --dumbbells--.

In claim 1, line 13: replace "weight devices" with --dumbbells--.

In claim 16, lines 1-2: delete "further including weight devices, and"

In claim 16, line 3: replace "sized to receive said weight devices" with --with a plurality of dumbbells located--.

In claim 17, lines 1-2: delete "said weight devices are dumbbells and".

In claim 22, line 3: replace "sized to receive weight devices" with --with a plurality of dumbbells located--.

In claim 22, line 11: replace "weight devices" with --dumbbells--.

In claim 22, line 15: replace "elevated and handle" with --and handle elevated--.

In claim 22, line 16: replace "weight devices" with --dumbbells--.

Art Unit: 3728

In claim 24, lines 2-3: replace "sized to receive weight devices" with --with a plurality of dumbbells located--.

In claim 28, line 4: replace "sized to receive weight devices" with --with a plurality of dumbbells located--.

In claim 28, line 12: replace "weight devices" with --dumbbells--.

In claim 33, line 2: replace "sized to receive weight devices" with --with a plurality of dumbbells located--.

In claim 35, line 3: replace "sized to receive weight devices" with --with a plurality of dumbbells located--.

In claim 35, line 11: replace "weight devices" with --dumbbells--.

In claim 35, line 15: replace "weight devices" with --dumbbells--.


In claim 36, lines 2-3: replace "sized to receive weight devices" with --with a plurality of dumbbells located--.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory Pickett whose telephone number is 571-272-4560. The examiner can normally be reached on Mon-Fri, 11:30 AM - 8:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on 571-272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3728

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Greg Pickett
Examiner
28 April 2006


Mickey Yu
Supervisory Patent Examiner
Group 3700